

# MISCELLANEOUS PAPERS

\*\*\*\*\*

Centre for Entomological Studies Ankara

\*\*\*\*\*

No 128

20 02 2007

ISSN 1015-8235

## Synonymical and distributional List of the species of Ardahan Province (North East Turkey) (Lepidoptera)<sup>1</sup>

Ahmet Ömer Koçak    Muhabbet Kemal

**Abstract:** Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Ardahan Province (North East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 128: 1-8.

This paper deals with the Lepidoptera species hitherto recorded in the Ardahan Province in the North East Turkey. Totally 214 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

**Key Words:** *Lepidoptera*, fauna, checklist, Turkey, Ardahan Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Ardahan. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in Memoirs vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 214 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes<sup>2</sup>.

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.<sup>3</sup>

- 1) **Callimorpha dominula (Linnaeus,1758)** (Arctiidae) *dominula* Linnaeus,1758; *insubrica* Wackerzapp,1890; *rhodanica* Kettlewell,1943.    04 08 14 16 25 30 36 43 73 75
- 2) **Eilema costalis (Zeller,1847)** (Arctiidae) *#morosina* Herrich-Schäffer,1847; *costalis* Zeller,1847    06 07 08 10 16 25 33 34 36 42 45 46 53 56 75
- 3) **Lithosia quadra (Linnaeus,1758)** (Arctiidae) *quadra* Linnaeus,1758; *flava* Müller,1764; *deplana* Linnaeus,1771; *quadrata* Walckenaer,1802; *dives* Butler,1877.    04 08 14 28 36 53 60 61 75
- 4) **Boloria (s.str.) caucasica (Lederer,1852)** (Argynnidae) *caucasica* Lederer,1852; *pontica* Crosson du Cormier, Guérin & De Lesse,1957.    08 29 53 61 75
- 5) **Euphydryas (Eurodryas) aurinia (Rottemburg,1775)** (Argynnidae) *aurinia* Rottemburg,1775; *artemis* [Denis & Schiffermüller],1775; *lye* Bergsträßer,[1779]; *koloswarensis* Piller & Mitterpacher,1783; *scotica* Robson,1880; *signifera* Kane,1893; *anglicana* Fruhstorfer,1917; *acedia* Fruhstorfer,1917.    05 06 08 14 16 18 25 29 30 34 36 46 53 59 62 65 69 73 75 76
- 6) **Limenitis (Azuritis) reducta Staudinger,1901** (Argynnidae) *reducta* Staudinger,1901.    01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 7) **Limenitis (Ladoga) camilla (Linnaeus,1764)** (Argynnidae) *camilla* Linnaeus,1764; *prorsa* Linnaeus,1764 *nec* Linnaeus,1758; *sibilla* Linnaeus,1769; *luctuosus* Fourcroy,1785 *nec* Walch,1775.    08 10 34 75

<sup>1</sup> This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

<sup>2</sup> The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

<sup>3</sup> see also Priamus 11 (5), 11 (6)

- 8) **Melitaea (Didymaeformis) interrupta Kolenati, 1846** (Argynnididae) *interrupta* Kolenati, 1846; *#transcaucasica* Turati, 1919; *caucasica* Verity, 1922; *venosata* Niesiolowsky, 1937; *distinctissima* Bryk, 1940; *musatscherii* Alberti, 1969; *itkolensis* Alberti, 1969. 08 25 29 53 61 75
- 9) **Melitaea (Didymaeformis) persea Kollar, [1849]** (Argynnididae) *persea* Kollar, [1849]; *caucasica* Stgr., 1861; *magnacasta*, *araratica* Verity, 1929; *sargon* Hemming, 1932; *tauricus* Belter, 1934; *causicola* Bryk, 1940; *hafiz*, *gina* Higgins, 1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert, 1975. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 10) **Melitaea (s.str.) diamina (Lang, 1789)** (Argynnididae) *dictynna* Esper, 1778 *nec* [Denis & Schiffermüller], 1775; *diamina* Lang, 1789; *magnaobscura* Verity, 1931. 08 25 29 75
- 11) **Melicta aurelia (Nickerl, 1850)** (Argynnididae) *parthenie* Borkhausen, 1788 *nec* Bergsträßer, [1780]; *aurelia* Nickerl, 1850; *#serotina* Oberthür, 1909; *lucasi* Verity, 1920. 05 08 25 53 69 75 76
- 12) **Melicta caucasogenita Verity, 1930** (Argynnididae) *caucasogenita* Verity, 1930 75
- 13) **Neptis (s.str.) rivularis (Scopoli, 1763)** (Argynnididae) *rivularis* Scopoli, 1763; *lucilla* Denis & Schiffermüller, 1775; *coenobita* Cramer, 1780; *#tolunay* Koçak & Kemal, 2000. 25 36 75 76
- 14) **Amata rossica (Turati, 1917)** (Ctenuchidae) *#nigricornis* Alpheraky, 1883; *rossica* Turati, 1917; *anatolica* Zerny, 1931; *bithynica* Schwingenschuss, 1940; *#osthelderi* Obratzov, 1966 01 05 06 07 08 14 16 24 28 33 37 38 55 58 60 64 71 75 76
- 15) **Dysauxes punctata (Fabricius, 1781)** (Ctenuchidae) *punctata* Fabricius, 1781; *serva* Hübner, [1803]; *confamula* Hübner, [1803]; *ochrea* Millière, 1876 01 17 25 42 55 75
- 16) **Dyscia (s.str.) conspersaria ([Denis & Schiffermüller], 1775)** (Geometridae) *conspersaria* [Denis & Schiffermüller], 1775; *cuniculina* Hübner, 1790; *cunicularia* Esper, 1803; *turturaria* Boisduval, 1840 05 16 17 22 34 39 42 50 65 75
- 17) **Gnophos (s.str.) ciscaucasius Rjabov, 1964** (Geometridae) *ciscaucasius* Rjabov, 1964 08 36 53 75
- 18) **Gnophos (s.str.) furvatus ([Denis & Schiffermüller], 1775)** (Geometridae) *#furvata* [Denis & Schiffermüller], 1775; *meridionalis* Wehrli, 1924 larva on *Viburnum lantanum* ([Denis & Schiffermüller], 1775).
- 19) **Hydriomena coerulata (Fabricius, 1777)** (Geometridae) *#impluviata* [Denis & Schiffermüller], 1775; *coerulata* Fabricius, 1777; *autumnalis* Ström, 1783; *trifasciata* Borkhausen, 1794; *bicommata* Schrank, 1802; *literata* Donovan, 1810; *relictata* Zetterstedt, 1839; *impluviaria* Boisduval, 1840; *insulicolata* Schawerda, 1933 14 39 75
- 20) **Hydriomena furcata (Thunberg, 1784)** (Geometridae) *furcata* Thunberg, 1784; *sordidata* Fabricius, 1794; *elutaria* Hübner, [1799]; *fuscoundata* Donovan, 1806; *elutaria* Boisduval, 1840; *shibuyae* Matsumura, 1925. 14 17 75
- 21) **Idaea dilutaria (Hübner, [1799])** (Geometridae) *dilutaria* Hübner, [1799]; *holosericata* Duponchel, 1842; *holosericaria* Bruand, 1846; *holosericearia* De La Harpe, 1853; *praeustaria* De La Harpe, 1853. 05 16 22 34 39 75
- 22) **Idaea pallidata ([Denis & Schiffermüller], 1775)** (Geometridae) *pallidata* [Denis & Schiffermüller], 1775; *pallidaria* Treitschke, 1825; *byssinata* Treitschke, 1828; *byssinaria* Boisduval, 1840 36 75
- 23) **Lomaspilis marginata (Linnaeus, 1758)** (Geometridae) *marginata* Linnaeus, 1758; *bithynica* Wehrli, 1939 06 14 34 39 75
- 24) **Ourapteryx persica Ménétériés, 1832** (Geometridae) *persica* Ménétériés, 1832 05 08 26 53 61 75
- 25) **Perizoma hydrata (Treitschke, 1829)** (Geometridae) *hydrata* Treitschke, 1829; *flexuosaria* Boheman, 1852 36 75
- 26) **Perizoma parahydrata Alberti, 1969** (Geometridae) *parahydrata* Alberti, 1969 08 36 75
- 27) **Scotopteryx bipunctaria ([Denis & Schiffermüller], 1775)** (Geometridae) *bipunctaria* [Denis & Schiffermüller], 1775; *undulata* Scopoli, 1763 *nec* Linn., 1758; *geminataria* Villers, 1789; *gachtaria* Freyer, 1851 05 06 08 14 16 17 29 36 38 53 60 61 69 75
- 28) **Scotopteryx chenopodiata (Linnaeus, 1758)** (Geometridae) *chenopodiata* Linnaeus, 1758; *limitata* Scopoli, 1763; *zonata* Hufnagel, 1767; *olivaceofasciata* Retzius, 1783; *chenopodiaria* Haworth, 1809; *mensuraria* sensu Duponchel, 1829 05 06 08 14 18 42 36 53 61 65 69 75
- 29) **Thalera fimbrialis (Scopoli, 1763)** (Geometridae) *fimbrialis* Scopoli, 1763; *thymiaria* Linnaeus, 1767; *bupleuraria* [Denis & Schiffermüller], 1775; *albaria* Esper, [1801]; *magnata* Fuchs, 1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75
- 30) **Xanthorhoe decoloraria (Esper, [1806])** (Geometridae) *decoloraria* Esper, [1806]; *munitata* Hübner, [1809]; *munitaria* Boisduval, 1840; *collinaria* Metzner, 1840; *pauperrimata* Christoph, 1888 69 75
- 31) **Carcharodus (Lavatheria) lavatherae (Esper, [1783])** (Hesperiidae) *lavatherae* Esper, [1783]; *australior* Verity, 1919; *pyrenaicus* Ricard, 1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 32) **Carcharodus (Reverdinus) flocciferus (Zeller, 1847)** (Hesperiidae) *flocciferus* Zeller, 1847; *altheae* Hübner, [1803] *nec* Esp., [1783]; *imperator* Hemming, 1934; *alchymillae* Hemming, 1936; *autumnalis* Verity, 1940. 08 25 30 36 53 65 69 71 75 76
- 33) **Erynnis (s.str.) tages (Linnaeus, 1758)** (Hesperiidae) *tages* Linnaeus, 1758; *morio* Scopoli, 1763; *geryon* Rottemburg, 1775; *subclarus* Verity, 1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 34) **Muschampia tessellum (Hübner, [1802])** (Hesperiidae) *tessellum* Hübner, [1802]; *hibisci* Böber, 1812; *mazzola* Ochsenheimer, 1816 03 06 08 14 16 21 24 25 29 34 36 43 48 67 69 75 76 81
- 35) **Pyrgus alveus (Hübner, [1803])** (Hesperiidae) *alveus* Hübner, [1803]; *alticolus* Rebel, 1910; *ryffelensis* Oberthür, 1910; *claralveus* Verity, 1934; *confusa* Renner, 1991; *germanica* Renner, 1991. 04 08 24 25 29 30 36 51 53 61 62 69 75 76
- 36) **Pyrgus cirsii (Rambur, [1839])** (Hesperiidae) *cirsii* Rambur, [1839]; *turcivola* De Lattin, 1950. 08 13 24 25 36 65 69 75 76
- 37) **Pyrgus jupei (Alberti, 1967)** (Hesperiidae) *jupei* Alberti, 1967; *centralasiae* Renner, 1991. 08 25 29 53 75
- 38) **Spialia (Neospialia) orbifer (Hübner, [1823])** (Hesperiidae) *orbifer* Hübner, [1823]; *tesselloides* Herrich-Schäffer, [1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 39) **Spialia (s.str.) phlomidis (Herrich-Schäffer, [1845])** (Hesperiidae) *phlomidis* Herrich-Schäffer, [1845]; *eupator* Hemming, 1932; *kiki* Higgins, 1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 40) **Thymelicus lineolus (Ochsenheimer, 1808)** (Hesperiidae) *lineolus* Ochsenheimer, 1808; *virgula* Hübner, 1813 *nec* Retz., 1783; *ludoviciae* Mabille, 1883; *pallida* Tutt, 1896; *clara* Tutt, 1905; *hemmingi* Romei, 1927; *melissus* Zerny, 1932; *fornax*

- Hemming, 1934* 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 36 38 39 40  
42 43 44 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 73 74 75 76 80
- 41) **Lasiocampa piontkovskii Sheljuzhko, 1943** (Lasiocampidae) *piontkovskii Sheljuzhko, 1943* 75
- 42) **Callophrys chalybeitincta Sovinsky, 1905** (Lycaenidae) *chalybeitincta Sovinsky, 1905; caerulescens A. Bang-Haas, 1912; schamyl Sheldon, 1914.* 08 25 69 75
- 43) **Callophrys paulae Pfeiffer, 1932** (Lycaenidae) *paulae Pfeiffer, 1932; kolak Higgins, 1965* 24 25 30 38 46 50 51 60 62 65  
69 70 73 75
- 44) **Callophrys rubi (Linnaeus, 1758)** (Lycaenidae) *rubi Linnaeus, 1758* 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25  
26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 45) **Celastrina argiolus (Linnaeus, 1758)** (Lycaenidae) *argiolus Linnaeus, 1758; cleobis Sulzer, 1776; thersanon Bergsträßer, 1779; argyphontes Bergsträßer, 1779; argalus Bergsträßer, 1779; marginatus Retzius, 1783; acis Fabricius, 1787 nec Dru., [1773]; #parvipuncta Fuchs, 1880; calidogenita Verity, 1919; britanna Verity, 1919.* 01 02 03 05 06 07 08 09 10  
11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54  
56 59 60 61 62 65 66 67 69 73 75 76 81
- 46) **Cupido (Everes) argiades (Pallas, 1771)** (Lycaenidae) *argiades Pallas, 1771; tiresias Rottemburg, 1775; amyntas [Denis & Schiffermüller], 1775 nec Poda, 1761; irenae Dujardin, 1974.* 03 05 06 08 11 14 16 17 25 29 34 37 41 53 60 61 75 81
- 47) **Cupido (s.str.) osiris (Meigen, [1829])** (Lycaenidae) *osiris Meigen, [1829]; saportae Duponchel, 1832; violacea Verity, 1911; sebrus Boisduval, [1833].* 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38  
41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 48) **Heodes (Loweia) tityrus (Poda, 1761)** (Lycaenidae) *tityrus Poda, 1761; acrion [Brünnich], 1763; orientalis Staudinger, 1881; argentifex Balint, 1990.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31  
32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71  
72 73 74 75 76 77 78 79
- 49) **Heodes (s.str.) virgaureae (Linnaeus, 1758)** (Lycaenidae) *virgaureae Linnaeus, 1758; armeniaca A. Bang-Haas, 1906; chrysorhoas Fruhstorfer, 1917; balcanicola Graves, 1928.* 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37  
42 43 46 51 53 58 60 62 65 66 69 75 76
- 50) **Maculinea nausithous (Bergsträßer, [1779])** (Lycaenidae) *nausithous Bergsträßer, [1779]; arcas Rottemburg, 1775 nec Dru., 1773; erebus Knoch, 1782.* 04 08 24 25 36 69 75 76
- 51) **Palaeochrysophanus candens (Herrich-Schäffer, [1845])** (Lycaenidae) *candens Herrich-Schäffer, [1845]* 03 04 05 06 08  
13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 52) **Plebejus (Lycaeides) argyrognomon (Bergsträßer, [1779])** (Lycaenidae) *argyrognomon Bergsträßer, [1779]* 08 25 61  
69 75
- 53) **Plebejus (Plebejides) modicus Verity, 1935** (Lycaenidae) *modicus Verity, 1935; microsephyrus Verity, 1935* 01 02 03 04  
05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59  
60 62 65 66 68 69 70 71 72 73 75 76
- 54) **Plebejus (s.str.) argus (Linnaeus, 1758)** (Lycaenidae) *argus Linnaeus, 1758; aegon Denis & Schiffermüller, 1775; plouharnelensis Oberthür, 1926; pulchraphilonome Verity, 1931.* 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28  
29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 55) **Polyommatus (Albulina (Plebejidea)) loewii (Zeller, 1847)** (Lycaenidae) *loewii Zeller, 1847; empyrea Gerhard, [1851]; gigas Staudinger, 1871; #robusta Turati & Fiori, 1930; germanicae Pfeiffer, 1932; dzhegamati Sheljuzhko, 1934.* 01 02 03  
04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66  
69 70 71 72 73 75 76 80
- 56) **Polyommatus (Aricia (Eumedonia)) eumedon (Esper, [1780])** (Lycaenidae) *chiron Rottemburg, 1775 nec Fabricius, 1775; eumedon Esper, [1780]; osiris Bang-Haas, 1927 nec Hopffer, 1855; rumeliensis Eitschberger & Stein., 1975; jeanensis Eitschberger & Stein., 1975; kagizmanensis Koçak, 1980.* 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58  
60 61 65 66 69 74 75 76
- 57) **Polyommatus (Aricia (Ultraaricia)) crassipunctus (Christoph, 1893)** (Lycaenidae) *crassipunctus Christoph, 1893; #crassipunctata Seitz, 1909.* 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80
- 58) **Polyommatus (Aricia (s.str.)) agestis ([Denis & Schiffermüller], 1775)** (Lycaenidae) *medon Hufnagel, 1766 nec Linn., 1763; alexis Rottemburg, 1775 nec Poda, 1761; agestis [Denis & Schiffermüller], 1775; astrarche Bergsträßer, [1779].* 01 02 03  
04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45  
46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 59) **Polyommatus (Aricia (s.str.)) artaxerxes (Fabricius, 1793)** (Lycaenidae) *artaxerxes Fabricius, 1793.* 03 06 08 14 18 25  
29 32 36 45 60 61 65 69 75
- 60) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) admetus (Esper, [1783])** (Lycaenidae) *admetus Esper, [1783]* 01 02  
03 05 06 07 08 09 10 11 14 15 16 17 18 20 22 24 25 26 29 32 33 35 36 38 39 40 41 42 43 44 46 50 51 55 58 59 60 62 64 66  
68 69 70 71 75 76
- 61) **Polyommatus (s.str. (Agrodiaetus (Admetusia))) eriwanensis (Forster, 1960)** (Lycaenidae) *eriwanensis Forster, 1960*  
08 24 25 36 58 62 65 69 75 76
- 62) **Polyommatus (s.str. (Agrodiaetus (s.str.))) damon ([Denis & Schiffermüller], 1775)** (Lycaenidae) *damon [Denis & Schiffermüller], 1775* 04 08 24 25 29 36 69 75 76
- 63) **Polyommatus (s.str. (Lysandra)) bellargus (Rottemburg, 1775)** (Lycaenidae) *bellargus Rottemburg, 1775; thetis Rottemburg, 1775 nec Dru., 1773; adonis Denis & Schiffermüller, [1775]; salacia Bergsträßer, 1779; venilia Bergsträßer, 1779; hyacinthus Lewin, 1795; urania Gerhard, [1851]; persemagna Verity, 1937; arentissima Verity, 1937; arens Verity, 1937; arentior Verity, 1937; anteaerentior Verity, 1937; parabellargus Verity, 1939; shakla Higgins, 1958* 01 02 03 04  
05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55  
58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 64) **Polyommatus (s.str. (Lysandra)) corydonius (Herrich-Schäffer, [1852])** (Lycaenidae) *corydonius Herrich-Schäffer, [1852]*  
04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76

- 65) **Polyommatus (s.str. (Plebicula)) dorylas ([Denis & Schiffermüller],1775)** (Lycaenidae) *dorylas* [Denis & Schiffermüller],1775; *hylas* Esper,[1778] nec Linnaeus,1758; *argester* Bergsträßer,[1779]; *magna* Balint,1985. 01 03 05 06 08 14 16 18 24 25 29 32 33 36 37 38 42 46 48 50 51 62 66 69 70 75 76
- 66) **Polyommatus (s.str. (Thersitesia)) thersites (Canterer,[1835])** (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 67) **Polyommatus (s.str.) icarus (Rottemburg,1775)** (Lycaenidae) *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 68) **Abrostola asclepiadis (Lang,1789)** (Noctuidae) *asclepiadis* [Denis & Schiffermüller],1775; *asclepiadis* Lang,1789. 75
- 69) **Abrostola tripartita (Hufnagel,1766)** (Noctuidae) *tripartita* Hufnagel,1766; *trigemina* Werneburg,1864. 06 08 24 25 28 34 50 61 75
- 70) **Abrostola triplasia (Linnaeus,1758)** (Noctuidae) *triplasia* Linnaeus,1758; *trigemina* Werneburg,1864. 04 05 08 13 16 18 25 31 36 37 38 39 53 75
- 71) **Acronicta (Subacronicta) megacephala (Fabricius,1787)** (Noctuidae) *megacephala* Fabricius,1787; *ankarensis* Hering,1933. 04 06 08 18 16 24 25 30 31 33 34 36 37 42 44 46 50 51 58 60 62 65 66 75 76
- 72) **Acronicta (Triaena) leporina (Linnaeus,1758)** (Noctuidae) *leporina* Linnaeus,1758 14 52 53 75
- 73) **Acronicta (Triaena) psi (Linnaeus,1758)** (Noctuidae) *psi* Linnaeus,1758 05 06 08 18 23 25 28 35 33 36 37 46 50 51 58 62 65 66 75 80
- 74) **Acronicta (Viminia) euphorbiae (Denis,1785)** (Noctuidae) *euphorbiae* [Denis & Schiffermüller],1775; *euphorbiae* Denis,1785; *montivaga* Guenée,1852; *ottomana* Draudt,1931; *garbowskii* Wojtusiak & Niesiolowski,1946. 01 05 06 14 16 17 18 24 25 36 42 45 50 58 62 65 75
- 75) **Agrochola (Alpichola) lactiflora (Draudt,1934)** (Noctuidae) *lactiflora* Draudt,1934 04 08 12 21 25 33 36 44 46 49 58 62 69 70 75
- 76) **Albocosta musiva (Hübner,[1803])** (Noctuidae) *musiva* Hübner,[1803] 42 60 75
- 77) **Ammoconia caecimacula (Fabricius,1787)** (Noctuidae) *caecimacula* Fabricius,1787 08 12 14 24 36 46 62 66 75
- 78) **Apamea crenata (Hufnagel,1766)** (Noctuidae) *crenata* Hufnagel,1766; *rurea* Fabricius,1775; *alopcurus* Esper,[1788]; *combusta* Hübner,[1808]; *hirticornus* Haworth,1812. 04 14 18 36 43 53 65 69 75
- 79) **Apamea ferrago (Eversmann,1837)** (Noctuidae) *ferrago* Eversmann,1837 04 08 24 25 36 38 46 50 51 58 60 61 65 75 76
- 80) **Apamea illyria Freyer,1846** (Noctuidae) *illyria* Freyer,1846 06 08 18 28 36 60 75
- 81) **Apamea lateritia (Hufnagel,1766)** (Noctuidae) *lateritia* Hufnagel,1766; *molochina* Hübner,[1803]. 04 08 16 24 25 30 36 51 58 61 65 75
- 82) **Apamea monoglypha (Hufnagel,1766)** (Noctuidae) *polyodon* Linnaeus,1761 nec Cl.,1759; *monoglypha* Hufnagel,1766. 01 03 04 05 06 08 17 18 25 28 29 30 32 33 34 35 36 37 39 42 43 45 58 60 61 66 75
- 83) **Apamea remissa (Hübner,[1809])** (Noctuidae) *remissa* Hübner,[1809] 04 06 24 25 36 58 60 65 69 75
- 84) **Apamea sordens (Hufnagel,1766)** (Noctuidae) *sordens* Hufnagel,1766 10 14 18 24 25 60 75
- 85) **Athetis pallustris (Hübner,[1808])** (Noctuidae) *pallustris* Hübner,[1808] 04 28 36 75
- 86) **Auchmis (s.str.) detersa (Esper,[1791])** (Noctuidae) *detersa* Esper,[1791] 01 05 06 08 18 24 25 32 33 37 40 42 50 51 58 66 75
- 87) **Autographa aemula ([Denis & Schiffermüller],1775)** (Noctuidae) *aemula* [Denis & Schiffermüller],1775 04 06 12 23 25 42 58 69 75
- 88) **Autographa bractea ([Denis & Schiffermüller],1775)** (Noctuidae) *bractea* [Denis & Schiffermüller],1775 75
- 89) **Autographa jota (Linnaeus,1758)** (Noctuidae) *jota* Linnaeus,1758 06 08 14 18 25 36 39 50 52 53 75
- 90) **Autophila (s.str.) banghaasi Boursin,1940** (Noctuidae) *banghaasi* Boursin,1940 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38 42 50 58 62 60 65 66 75
- 91) **Brachylomia viminalis (Fabricius,1777)** (Noctuidae) *viminalis* Fabricius,1777; *stricta* Esper,[1789]; *saliceti* Borkhausen,1792; *scripta* Hübner,[1803]. 08 14 34 37 53 75
- 92) **Caradrina (Eremodrina) pertinax (Staudinger,1879)** (Noctuidae) *pertinax* Staudinger,1879; *argentea* Caradja,1930. 04 05 06 08 12 25 29 30 33 36 38 42 44 50 58 61 66 75
- 93) **Caradrina (s.str.) morpheus (Hufnagel,1766)** (Noctuidae) *morpheus* Hufnagel,1766; *pulla* Beckwith,1794 nec Esp.,[1785]; *sepii* Hübner,[1803]; *dresnaya* D.Lucas,1933; *alpina* Hartig,[1938] 06 14 25 34 50 54 58 75
- 94) **Catocala (s.str.) fraxini (Linnaeus,1758)** (Noctuidae) *fraxini* Linnaeus,1758 06 14 24 25 75
- 95) **Cerapteryx graminis (Linnaeus,1758)** (Noctuidae) *graminis* Linnaeus,1758; *tricuspis* Esper,[1786]; *hibernicus* Curtis,1833; *albinea* Boisduval,[1837]. 08 25 75
- 96) **Cerapteryx megal (Alpheraky,1882)** (Noctuidae) *megal* Alpheraky,1882. 04 08 25 65 75
- 97) **Chersotis gratissima (Corti,1932)** (Noctuidae) *gratissima* Corti,1932 01 04 06 12 23 25 30 36 42 44 46 51 60 65 69 70 75
- 98) **Chersotis rectangula (Fabricius,1787)** (Noctuidae) *rectangula* Fabricius,1787. 06 07 08 11 12 18 24 25 26 36 38 42 43 50 49 60 66 75
- 99) **Cryphia (Bryoleuca) petricolor (Lederer,1870)** (Noctuidae) *petricolor* Lederer,1870; *iranica* Schwingenschuss,1937; *#solimana* Draudt,1937. 04 08 18 25 29 36 58 75
- 100) **Cryphia (Bryopsis) muralis (Forster,1771)** (Noctuidae) *muralis* Forster,1771; *lichenis* Fabricius,1781; *glandifera* [Denis & Schiffermüller],1775; *par* Hübner,[1813]. 05 06 16 25 42 75
- 101) **Cucullia (s.str.) behouneki Hacker & Ronkay,1988** (Noctuidae) *behouneki* Hacker & Ronkay,1988 04 08 24 25 28 30 36 58 60 65 66 75
- 102) **Cucullia (s.str.) gnaphalii (Hübner,[1813])** (Noctuidae) *gnaphalii* Hübner,[1813]; *occidentalis* Boursin,1945. 25 36 69 75



- 103) **Cucullia (s.str.) lucifuga (Hübner,[1803])** (Noctuidae) *lucifuga* Hübner,[1803]. 25 36 42 69 75
- 104) **Cucullia (s.str.) umbratica (Linnaeus,1758)** (Noctuidae) *umbratica* Linnaeus,1758; *sonchi* Heinemann,1859. 08 16 18 25 36 42 46 58 60 65 75
- 105) **Dasypolia (s.str.) ferdinandi Rühl,1892** (Noctuidae) *ferdinandi* Rühl,1892 15 31 70 75
- 106) **Diachrysia chrysis (Linnaeus,1758)** (Noctuidae) *chrysis* Linnaeus,1758 13 14 16 18 25 28 30 42 46 50 52 55 57 59 61 65 66 75
- 107) **Diarsia mendica (Fabricius,1775)** (Noctuidae) *mendica* Fabricius,1775; *festiva* [Denis & Schiffermüller],1775; *primulae* Esper,[1788]; *subrufa* Haworth,1809; *conflua* Treitschke,1827; *dannehli* Corti & Draudt,1933. 04 08 14 16 24 36 37 43 58 60 61 62 69 75
- 108) **Dichagyris (s.str.) squalidior (Staudinger,1901)** (Noctuidae) *squalidior* Staudinger,1901 01 03 08 12 23 25 30 42 44 46 50 58 65 75
- 109) **Enargia paleacea (Esper,[1788])** (Noctuidae) *paleacea* Esper,[1788]. 36 75
- 110) **Episema glaucina (Esper,[1789])** (Noctuidae) *glaucina* Esper,[1789]; *dentimacula* Hübner,1790; *unicolor* Duponchel,1835; *hispana* Boisduval,[1837]; *meridionalis* Calberla,1888; *abruzzorum* Dannehl,1929. 04 05 25 75
- 111) **Eriopygodes imbecilla (Fabricius,1794)** (Noctuidae) *imbecilla* Fabricius,1794; *alpina* Hübner,1793; *aliena* Hübner,[1808]; *disparilis* Ochsenheimer,1816. 04 25 36 75
- 112) **Eublemma (Glossodice) polygramma (Duponchel,[1842])** (Noctuidae) *polygramma* Duponchel,[1842]; *argillacea* Eversmann,1844; *nuda* Christoph,1862; *pudorina* Staudinger,1889; *violetta* Staudinger,1889. 01 03 04 05 06 07 14 18 23 24 25 30 33 35 42 44 46 50 51 58 60 65 66 70 75
- 113) **Eublemma (candidana-gr.) wagneri (Herrich-Schäffer,1851)** (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 114) **Euchalcia (s.str.) armeniae Dufay,1966** (Noctuidae) *armeniae* Dufay,1966; *#armeninae* Hacker,1986. 25 36 61 65 69 75
- 115) **Euchalcia (s.str.) variabilis (Piller & Mitterpacher,1783)** (Noctuidae) *variabilis* Piller & Mitterpacher,1783 08 28 39 61 75
- 116) **Euchalcia (s.str.) viridis (Staudinger,1901)** (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 117) **Euxoa (Orosagrotis) foeda (Lederer,1855)** (Noctuidae) *foeda* Lederer,1855; *enitens* Corti,1926; *marmorosa* Corti,1927; *vanensis* Draudt,1937. 04 06 08 18 23 25 30 42 46 50 51 62 63 65 70 75
- 118) **Euxoa (s.str.) aquilina ([Denis & Schiffermüller],1775)** (Noctuidae) *aquilina* [Denis & Schiffermüller],1775; *fictilis* Hübner,[1813]; *unicolor* Hübner,[1813]; *petrina* Mayer,1937. 04 05 06 08 12 14 18 24 25 30 32 36 40 42 46 50 51 65 66 75
- 119) **Euxoa (s.str.) montivaga Fibiger,1997** (Noctuidae) *montivaga* Fibiger,1997 75
- 120) **Euxoa (s.str.) recussa (Hübner,[1817])** (Noctuidae) *recussa* Hübner,[1817]; *telifera* Donzel,1837; *transsylvania* Herrich-Schäffer,[1851]; *florigera* Eversmann,1856; *latebrosa* Corti,1931. 08 75
- 121) **Gortyna hethitica Hacker,Kuhna & Gross,1986** (Noctuidae) *hethitica* Hacker,Kuhna & Gross,1986 04 25 50 60 75
- 122) **Gortyna osmana Hacker & Kuhna,1986** (Noctuidae) *osmana* Hacker & Kuhna,1986 04 13 25 36 62 65 75
- 123) **Hada plebeja (Linnaeus,1761)** (Noctuidae) *plebeja* Linnaeus,1761; *nana* Hufnagel,1766; *dentina* [Denis & Schiff.],1775; *leucostigma* Hw.,1809; *odontides* Bsd.,1829; *latenai* Pierret,1837; *hilaris* Zetterstedt,[1839]; *reducta* Rbl. & Zerny,[1932]; *littoralis*, *gredensis*, *nevadensis*, *hawelkae* Schawerda,1938. 06 08 16 18 25 36 38 42 49 50 60 75
- 124) **Hadena (Anepia) perplexa ([Denis & Schiffermüller],1775)** (Noctuidae) *perplexa* [Denis & Schiffermüller],1775; *lepida* Esper,[1790] *nec* Cr.,[1779]; *carpophaga* Brahm,1791; *ochracea* Haworth,1809; *capsophila* Boisduval,1840; *nisus* Germar,[1842]; *repanda* Herrich-Schäffer,[1850]. 01 04 05 06 07 11 14 16 18 20 24 25 29 30 32 33 35 36 42 46 47 48 49 50 51 58 60 63 65 75
- 125) **Hadena (s.str.(Albimaculia)) albimacula (Borkhausen,1792)** (Noctuidae) *albimacula* Borkhausen,1792; *concinna* Hübner,[1803]; *conserta* Hübner,[1820]. 05 06 08 18 24 25 28 30 33 42 50 51 58 65 66 69 75
- 126) **Hadena (s.str.(Albimaculia)) defreinae Hacker, Kuhna & Gross,1986** (Noctuidae) *defreinae* Hacker, Kuhna & Gross,1986 04 24 25 65 75
- 127) **Hadena (s.str.(Albimaculia)) secreta Hacker,1996** (Noctuidae) *secreta* Hacker,1996 75
- 128) **Hadena (s.str.(Caeshadena)) caesia ([Denis & Schiffermüller],1775)** (Noctuidae) *caesia* [Denis & Schiffermüller],1775; *dichroma* Esp.,[1790]. 05 08 69 75
- 129) **Hadena (s.str.(Hadenobilis)) albertii Hacker,1996** (Noctuidae) *albertii* Hacker,1996 04 08 24 25 29 36 58 69 75
- 130) **Hadena (s.str.(Hadenobilis)) chrysographa Hacker,1996** (Noctuidae) *chrysographa* Hacker,1996 04 08 25 29 36 65 75
- 131) **Hadena (s.str.(Hadenobilis)) melanochoa (Staudinger,1892)** (Noctuidae) *melanochoa* Staudinger,1892 01 04 05 06 08 18 24 25 28 30 36 38 42 46 50 51 58 60 65 69 75
- 132) **Hadena (s.str.(Hadenobilis)) tristis (Draudt,1934)** (Noctuidae) *tristis* Draudt,1934 04 12 25 28 30 36 38 46 50 51 53 58 60 65 75
- 133) **Hadena (s.str.(Zeteolyga)) confusa (Hufnagel,1766)** (Noctuidae) *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottemburg,1776 *nec* Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 134) **Hadena (s.str.(Zeteolyga)) pseudodealbata Hacker,1988** (Noctuidae) *pseudodealbata* Hacker,1988 04 08 25 28 36 61 69 75
- 135) **Hadula (Calocestra (Hadufurca)) colletti (Schneider,1876)** (Noctuidae) *colletti* Schneider,1876 04 08 25 58 65 75
- 136) **Hecatera bicolorata (Hufnagel,1766)** (Noctuidae) *bicolorata* Hufnagel,1766; *serena* [Denis & Schiffermüller],1775; *placida* Esper,[1791]; *hieracii* Bkh.,1793; *par* Donovan,1801; *monticola* Dup.,1826; *leuconota* Eversmann,1837; *intermedia* Walker,[1858]; *obscura* Staudinger,1861. 01 04 05 06 07 08 14 18 24 25 28 29 30 33 36 46 49 50 51 58 60 63 65 66 75
- 137) **Heliophobus unicolor (Alpheraky,1889)** (Noctuidae) *unicolor* Alpheraky,1889 06 07 08 14 18 24 25 28 33 36 38 42 46 49 50 51 58 60 65 75
- 138) **Hoplodrina octogenaria (Goeze,1781)** (Noctuidae) *octogenaria* Goeze,1781; *alsines* Brahm,1791; *sordida* Haworth,1809 *nec* Hübner,[1803] 06 14 16 19 37 38 39 58 61 66 75

- 139) **Hoplodrina superstes** (Ochsenheimer,1816) (Noctuidae) *superstes* Ochsenheimer,1816 01 04 05 06 08 12 14 25 30 33 36 37 50 53 66 75
- 140) **Hypena obesalis** Treitschke,1829 (Noctuidae) *obesalis* Treitschke,1829 06 25 30 36 37 75
- 141) **Hyssia cavernosa** (Eversmann,1852) (Noctuidae) *cavernosa* Eversmann,1852 75
- 142) **Lacanobia (Dianobia) histrio** (Goeze,1781) (Noctuidae) *#contigua* [Denis & Schiffermüller],1775; *histrio* Goeze,1781; *ariae* Esper,[1786]; *spartii* Brahm,1791; *dives*, *pulchellina* Haworth,1809; *subcontigua* Eversmann,1852, etc. 04 08 25 28 36 53 75
- 143) **Lacanobia (Dianobia) thalassina** (Hufnagel,1766) (Noctuidae) *thalassina* Hufnagel,1766; *humeralis* Haworth,1809; *achates* Hübner,[1813]. 01 05 06 08 18 25 32 36 39 50 65 66 75
- 144) **Lacanobia (Diataraxia) oleracea** (Linnaeus,1758) (Noctuidae) *oleracea* Linnaeus,1758; *spinaciae* Borkhausen,1792; *variegata* Austaut,1885; *essoni* Hampson,1909; *albolineata* Matsumura,1926; *#pallida* Bytinski-Salz & Brandt,1937 05 06 07 16 18 25 28 38 39 43 44 50 58 61 65 75
- 145) **Lasionycta draudti** (Wagner,1936) (Noctuidae) *draudti* Wagner,1936 04 12 24 25 30 36 60 65 75 76
- 146) **Leucania comma** (Linnaeus,1761) (Noctuidae) *comma* Linnaeus,1761; *turbida* Hübner,[1803]; *congener* Hübner,[1817]; *rhodocomma* Püngeler,1900; *engadinensis* Wagner,1909. 06 08 18 25 28 36 60 75
- 147) **Lygephila cracca** (Fabricius,1787) (Noctuidae) *#cracca* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *cracca* Fabricius,1787; *#cracca* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 148) **Mesapamea (s.str.) vaskeni** Varga,1979 (Noctuidae) *vaskeni* Varga,1979 04 08 25 36 75
- 149) **Mesoligia literosa** (Haworth,[1809]) (Noctuidae) *literosa* Haworth,[1809]; *erraticula* Hübner,[1813]; *faroulti* Rothschild,1914; *powelli* Oberthür,1918 03 06 07 08 24 25 36 38 42 50 51 58 62 65 66 69 75
- 150) **Mniotype adusta** (Esper,[1790]) (Noctuidae) *adusta* Esper,[1790]; *duplex* Haworth,1809; *valida* Hübner,[1813]; *vultarina* Freyer,1832; *chardinyi* Duponchel,[1838]; *pavida* Boisdual,1840; *baltica* Hering,1846; *vulturinea* Herrich-Schäffer,[1850]; *vicina* Alpheraky,1882; *grisescens* Standfuss,1893; *aterrima* Costantin.,1916; *carpathica* Kaucki 04 06 08 18 24 25 28 50 53 75
- 151) **Mythimna (Aletia) conigera** ([Denis & Schiffermüller],1775) (Noctuidae) *conigera* [Denis & Schiffermüller],1775; *floccida* Esper,[1788]. 04 25 36 37 45 50 58 60 61 75
- 152) **Nycteola asiatica** (Krulikovsky,1904) (Noctuidae) *asiatica* Krulikovsky,1904; *populana* Patočka,1953; *hungarica* Kovacs,1954. 01 05 06 07 08 11 18 19 23 24 25 42 44 50 51 56 58 63 65 66 69 75
- 153) **Oligia strigilis** (Linnaeus,1758) (Noctuidae) *strigilis* Linnaeus,1758; *praeduncula* [Denis & Schiffermüller],1775. 05 06 08 16 31 34 45 75
- 154) **Oligia turcia** Rezbanyai-Reser,1997 (Noctuidae) *turcia* Rezbanyai-Reser,1997 06 11 18 22 24 32 42 49 50 51 60 65 75
- 155) **Oncocnemis nigricula** (Eversmann,1847) (Noctuidae) *nigricula* Eversmann,1847 25 62 75 76
- 156) **Orectis proboscidata** (Herrich-Schäffer,1851) (Noctuidae) *proboscidata* Herrich-Schäffer,[1851]; *barteli* Turati,1907. 16 75
- 157) **Parastichtis corticea** (Esper,[1800]) (Noctuidae) *#ypsillon* [Denis & Schiffermüller],1775; *ipsilon* Goeze,1781 *nec* Hufn.,1766; *corticea* Esper,[1800]; *fissipuncta* Haworth,1809; *upsilon* Curtis,1828. 01 06 10 17 25 30 35 36 49 50 51 58 60 62 66 75
- 158) **Phleboeis sureyae** (Rebel,1931) (Noctuidae) *sureyae* Rebel,1931. 04 06 23 44 46 58 62 75
- 159) **Phlogophora scita** (Hübner,1790) (Noctuidae) *scita* Hübner,1790 04 08 12 16 25 30 43 45 53 60 61 75
- 160) **Polia bombycina** (Hufnagel,1766) (Noctuidae) *bombycina* Hufnagel,1766; *advena* [Denis & Schiffermüller],1775; *tincta* Brahm,1791; *nitens* Haworth,1809. 04 08 24 25 28 29 30 36 50 53 58 75
- 161) **Polypogon tentacularia** (Linnaeus,1758) (Noctuidae) *tentacularia* Linnaeus,1758 16 75
- 162) **Schinia purpurascens** (Tauscher,1809) (Noctuidae) *purpurascens* Tauscher,1809; *pulchra* Eversmann,1842 05 25 29 36 75
- 163) **Sideridis (Aneda) rivularis** (Fabricius,1775) (Noctuidae) *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. 04 08 09 13 14 18 23 24 28 36 49 50 65 75
- 164) **Sideridis (s.str.) lampra** (Schawerda,1913) (Noctuidae) *evidens* Hübner,[1808] *nec* Thunb.,1784; *lampra* Schawerda,1913; *anapheles* Nye,1975 04 12 25 30 49 75
- 165) **Sideridis (s.str.) turbida** (Esper,[1790]) (Noctuidae) *turbida* Esper,[1790]; *albicolon* Hübner,[1813] 04 18 24 25 36 42 50 58 60 65 75
- 166) **Victrix (s.str.) karsiana** Staudinger,1879 (Noctuidae) *karsiana* Staudinger,1879 04 06 08 25 36 44 75
- 167) **Xanthia icteritia** (Hufnagel,1766) (Noctuidae) *icteritia* Hufnagel,1766; *cerago* [Denis & Schiffermüller],1775; *flavescens* Esper,[1788]. 06 14 25 36 62 66 75
- 168) **Xestia (Megasema) ashworthii** (Doubleday,1855) (Noctuidae) *ashworthii* Doubleday,1855 04 08 18 25 36 75
- 169) **Xestia (s.str.) baja** ([Denis & Schiffermüller],1775) (Noctuidae) *baja* [Denis & Schiffermüller],1775 08 14 34 36 37 53 69 75
- 170) **Xestia (s.str.) ochreago** (Hübner,[1809]) (Noctuidae) *ochreago* Hübner,[1809]; *ochrojois* Hbn.,[1821]; *habichi* Rebel,1909. 01 04 08 25 36 58 60 75
- 171) **Xestia (s.str.) pallidago** (Staudinger,1900) (Noctuidae) *pallidago* Staudinger,1900 01 04 08 12 25 36 58 60 75
- 172) **Xestia (s.str.) stigmatica** (Hübner,[1813]) (Noctuidae) *stigmatica* Hübner,[1813] 75
- 173) **Xylena lunifera** Warren,1910 (Noctuidae) *lunifera* Warren,1910 05 06 08 24 62 65 75
- 174) **Parnassius (Driopa) nordmanni** [Ménetries],[1850] (Papilionidae) *clarius* Eversmanni,1845 *nec* Eversmann,1843; *nordmanni* [Ménetries],[1850]; *pataraeus* Westwood,1852; *minima* Honrath,1885; *christophi* Bryk & Eisner,1932; *bogosi* O.Bang-Haas,1934; *#fasciata* Sheljuzhko,1935; *#cohaerens* Shelj.,1935; *#flavomaculata* Shelj.,1935. 08 53 75
- 175) **Anthocharis cardamines** (Linnaeus,1758) (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 *nec* Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78

- 176) **Colias (Eriocolias) thisoa Ménéttriés, 1832** (Pieridae) *thisoa Ménéttriés, 1832*; *helenae Herrich-Schäffer, [1844]*; *eos Herrich-Schäffer, [1848]*; *#hudmilla Schulte, 1989*. 04 08 25 30 36 53 65 69 73 75 76
- 177) **Colias (Neocolias) aurorina Herrich-Schäffer, [1850]** (Pieridae) *aurorina Herrich-Schäffer, [1850]* 01 03 04 05 06 07 08 13 14 19 21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 178) **Colias (s.str.) hyale (Linnaeus, 1758)** (Pieridae) *hyale Linnaeus, 1758*; *#amdensis Verity, [1911]*. 08 25 36 75
- 179) **Gonepteryx (s.str.) rhamni (Linnaeus, 1758)** (Pieridae) *rhamni Linnaeus, 1758*; *gravesi Huggins, 1956*. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 180) **Leptidea sinapis (Linnaeus, 1758)** (Pieridae) *sinapis Linnaeus, 1758*; *candidus Retzius, 1783*; *erysimi Borkhausen, 1788*; *lathyri Hübner, [1819]*; *loti Rennie, 1832*; *umbratica Trimoulet, 1858*; *sartha Rühl, 1893*; *stabiolum Stauder, 1914*; *nigrescens Verity, 1919*; *patunae Stauder, 1922*; *lathyrica Verity, 1952*. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 181) **Pieris (Artogeia) bowdeni Eitschberger, [1984]** (Pieridae) *bowdeni Eitschberger, [1984]* 08 14 24 25 29 53 65 69 75 76
- 182) **Pieris (Artogeia) pseudorapae Verity, 1908** (Pieridae) *pseudorapae Verity, 1908* 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71 73 74 75 76 77 78 80 81
- 183) **Pieris (s.str.) brassicae (Linnaeus, 1758)** (Pieridae) *brassicae Linnaeus, 1758*; *chariclea Stephens, 1827*; *#venata Verity, 1908*; *cyniphia Turati, 1924*. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 184) **Agriphila tristella (Denis & Schiffermüller, 1775)** (Pyralidae) *tristella [Denis & Schiffermüller], 1775*; *ferruginella Thunberg, 1788*; *paleella Hübner, 1796*; *aquilella Hübner, 1796*; *moerens Fabricius, 1798*; *fuscina Schrank, 1802*; *fuscinellus Stephens, 1834*; *ribbeellus Caradja, 1910*; *discistrigatus Hampson, 1919*. 14 36 75
- 185) **Chazara (Neochazara) anthe (Hoffmannsegg, 1804)** (Satyridae) *anthe Hoffmannsegg, 1804*; *persephone Hübner, 1805*; *anthe Ochsenheimer, 1807*. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 186) **Coenonympha arcania (Linnaeus, 1761)** (Satyridae) *arcania Linnaeus, 1761*; *amytas Poda, 1761*; *cephalus Fourcroy, 1785*; *naidion Borkhausen, 1788*; *huebneri Oberthür, 1910*; *saleviana Fruhstorfer, 1910*; *trumpans Fruhstorfer, 1910*; *caucasica Jachontov, 1914*; *fulvosatura Verity, 1935*. 03 05 06 08 10 14 16 17 18 25 26 29 34 36 37 39 42 43 52 55 57 58 60 66 67 75 76 81
- 187) **Coenonympha pamphilus (Linnaeus, 1758)** (Satyridae) *pamphilus Linnaeus, 1758*; *menalcas Poda, 1761*; *nephele Hufnagel, 1766*; *marginata Heyne, 1894*; *orantia Fruhstorfer, 1908*; *scota Verity, 1911*; *infrarasa Verity, 1926*; *juldisica Verity, 1926*; *asiaemontium Verity, 1926*; *euxina Verity, 1926*; *posteuxina Verity, 1926*; *londonii Verity, 1926*; *neolyllus De Lattin, 1950* 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 188) **Coenonympha symphita Lederer, 1870** (Satyridae) *symphita Lederer, 1870*; *karsiana Sheljuzhko, 1919* 04 08 25 36 75 76
- 189) **Erebia aethiops (Esper, [1777])** (Satyridae) *aethiops Esper, [1777]*; *ligea Poda, 1761* nec *Linnaeus, 1758*; *medea Denis & Schiff., 1775*; *blandina Fabricius, 1787*; *media Hübner, 1799*; *caledonia Verity, 1911*; *altivaga Fruhstorfer, 1917*; *sapaudia Fruhstorfer, 1917*; *peneplana Berger, 1936*. 05 08 14 18 25 29 36 37 53 55 57 60 61 74 75 76 77
- 190) **Erebia graucasica Jachontov, 1909** (Satyridae) *graucasica Jachontov, 1909*; *caucasica Korshunov, Antonova & Kotschetova, 1984*. 08 25 29 53 60 69 75
- 191) **Erebia hewitsonii Lederer, 1864** (Satyridae) *hewitsonii Lederer, 1864* 08 25 29 53 61 75
- 192) **Erebia medusa (Denis & Schiffermüller, 1775)** (Satyridae) *medusa [Denis & Schiffermüller], 1775* 06 08 14 18 25 29 34 36 37 60 61 67 69 74 75 76
- 193) **Esperarge (s.str.) clymene (Fabricius, 1787)** (Satyridae) *#climene Esper, [1783]*; *clymene Fabricius, 1787*; *boroeas Latreille, 1803*; *synclimene Hübner, [1819]*. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 194) **Hipparchia (Neohipparchia) fatua (Freyer, 1844)** (Satyridae) *fatua Freyer, 1844*; *sichaea Lederer, 1857*; *insularis Turati, 1929*; *elineata Verity, 1937*; *infracastanea Verity, 1938*; *kosswigi De Lattin, 1950*. 01 02 03 04 05 06 07 08 09 10 11 16 17 20 21 23 24 25 27 30 31 32 33 34 35 36 39 42 43 44 45 46 48 50 51 57 58 60 62 65 70 71 74 75 77 80
- 195) **Hipparchia (Parahipparchia) aristaeus (Bonelli, 1826)** (Satyridae) *aristaeus Bonelli, 1826*; *sardoa Spuler, 1908*; *rautheri Krause, 1912*; *ichnusa Hemming, 1931*; *algirica auct.* 01 03 05 06 07 09 11 14 16 17 18 20 22 26 27 31 32 33 34 35 37 39 40 42 43 45 46 48 51 58 60 66 67 70 71 75 80
- 196) **Hipparchia (Parahipparchia) pellucida (Stauder, 1924)** (Satyridae) *pellucida Stauder, 1924*; *cotys Jachontov, 1935*; *hesselbarthi Kudrna, 1976*. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 197) **Hipparchia (s.str.) syriaca (Staudinger, 1871)** (Satyridae) *syriaca Staudinger, 1871*; *attikana Fruhstorfer, 1907*; *meschetica Jachontov, 1915*; *tokatensis Gross, 1959*. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 198) **Hyponephele (s.str.) lycaon (Rottemburg, 1775)** (Satyridae) *lycaon Rottemburg, 1775*; *#lycaon Kuhn, 1774*; *eudora Esper, 1778*; *janirula Esper, 1800*. 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 199) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev, 1996** (Satyridae) *zuvandica Samodurov & Koroljev, 1996*; *#zuvandi Korb, 2000* 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 200) **Lasiommata petropolitana (Fabricius, 1787)** (Satyridae) *petropolitana Fabricius, 1787*; *ominata Krulikovsky, 1903*; *calidia Fruhstorfer, 1908*; *parvalpestris Verity, 1929*. 05 06 08 14 18 24 25 29 37 60 75 81
- 201) **Maniola (s.str.) jurtina (Linnaeus, 1758)** (Satyridae) *jurtina Linnaeus, 1758*; *janira Linnaeus, 1758*; *lemur Schrank, 1801*. 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81



- 202) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *russiae* Esper,[1784]; *suwarovius* Herbst,1796; *clotho* Hübner,[1800]. 04 13 25 30 36 65 69 75 76
- 203) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa* Geyer,[1828]. 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 204) **Melanargia (s.str.) galathea (Linnaeus,1758)** (Satyridae) *galathea* Linnaeus,1758; *leucomelas* Esper,1783; *leucomelanos* Fourcroy,1785; *galene* Ochsenheimer,1807; *bitorensis* Guillemot,1858; *pygmaea* Fruhstorfer,1916; *malmmediensis* Derenne,1926; *xanthonica* Varin,1948. 05 06 08 10 11 14 16 17 18 19 24 25 26 28 34 36 37 39 43 54 55 58 59 60 61 64 66 67 75 76 81
- 205) **Minois dryas (Scopoli,1763)** (Satyridae) *dryas* Scopoli,1763; *drymeia* Fruhstorfer,1908; *spiripontis* Gaillard,1959; *bucica* Varin,1961; *annae* Douma-Petridou & Koufsaftikis,1988. 08 34 39 41 53 60 61 75
- 206) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri* Herrich-Schäffer,[1846]; *aristonicus* Fruhstorfer,[1911]; *selim* Gross,1978, *karsicola* Gross,1978 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 207) **Jordanita (Lucasiterna) subsolana (Staudinger,1862)** (Zygaenidae) *subsolana* Staudinger,1862 06 29 32 33 35 38 60 63 65 75
- 208) **Zygaena (Mesembrynus) cynarae (Esper,[1789])** (Zygaenidae) *cynarae* Esper,[1789] 75
- 209) **Zygaena (Mesembrynus) minos ([Denis & Schiffermüller],1775)** (Zygaenidae) *minos* [Denis & Schiffermüller],1775. 01 06 07 10 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
- 210) **Zygaena (Mesembrynus) purpuralis (Brünnich,1763)** (Zygaenidae) *purpuralis* Brünnich,1763; *pythia* Fabricius,1777; *scabiosae* Scheven,1777; *pilosellae* Esper,1780; *pluto* Ochsenheimer,1808; *pasiphae* Meigen,[1829]; *tatvanica* Reiss & Reiss,1973. 04 05 06 08 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
- 211) **Zygaena (s.str.) armena Eversmann,1851** (Zygaenidae) *armena* Eversmann,1851 75
- 212) **Zygaena (s.str.) dorycnii Ochsenheimer,1808** (Zygaenidae) *dorycnii* Ochsenheimer,1808 04 06 08 11 13 14 24 25 28 29 33 36 38 42 43 49 53 57 61 62 69 75 76
- 213) **Zygaena (s.str.) filipendulae (Linnaeus,1758)** (Zygaenidae) *filipendulae* Linnaeus,1758; *aries* Retzius,1783 01 05 06 08 11 13 14 16 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
- 214) **Zygaena (s.str.) loti ([Denis & Schiffermüller],1775)** (Zygaenidae) *loti* [Denis & Schiffermüller],1775; *fulvia* Fabricius,1777 04 05 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76

**Contents / İçindekiler:** Koçak,A.Ö. & M.Kemal, Synonymical and distributional List of the species of Ardahan Province (North East Turkey) (Lepidoptera). p.1 – Editorial, p. 8.

## MISCELLANEOUS PAPERS

ISSN 1015-8235

**Miscellaneous Papers** is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



## Centre for Entomological Studies Ankara

( A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

**Web Page of the Cesa:** <http://www.cesa-tr.org/>

**Scientific Serials:** Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

**Owner / Sahibi - Editor / Yayıncı:** Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

**Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu:** Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak (Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

**ALL RIGHTS RESERVED**

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa\_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - [DCS@york.biosis.org](mailto:DCS@york.biosis.org)